

Work Order ID 65874

Wednesday, January 26, 2011 1:49:17 PM



Page 1

Item ID: D3589-041

Accept



Setup Start



Revision ID:

Stop



Item Name: LATCH ASSEMBLY

Start Date: 1/26/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/4/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan:

ML

Date:

11-01-26

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3589

Rev B

100

0.00



Large Fab

Memo

0.00

Large Fab

1- Form D3589-11, assemble and weld D3589-9 to D3589-11 as per dwg D3589

2- grind weld flush as per dwg D3589

3- slide (4) D3589-3 Arm Guides on D3589-1 Arm and weld D3589-13 lugs on both ends as per dwg D3589

*** ensure that the 4 ARM GUIDES are on the ARM before welding both LUGS***

4- using DT9033 jig install parts on door and weld as per dwg D3589 QSI004
ensure parts fit correctly on jig

A/R Stainless Steel Rod Batch: *M 114509*

EL 11-3-8 X3

110

QC9- Inspect visual per QSI004- Fusion Welds

0.00



QC

Memo

0.00

Quality Control

P 11.03.09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65874

Wednesday, January 26, 2011 1:49:17 PM

Page 2

Item ID: D3589-041

Accept

Setup Start

Revision ID:

Stop

Item Name: LATCH ASSEMBLY

Start Date: 1/26/2011 Start Qty: 2.00

Cust Item ID:

Required Date: 2/4/2011 Req'd Qty: 2.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

130

0.00



Small Fab

Memo

0.00

Small Fab

1- Assemble as per dwg

140

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control



S 11/03/09

(X3)

EB 11/03/09 (3)

S 11/03/09

(13)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65874

Page 3

Wednesday, January 26, 2011 1:49:17 PM

Item ID: D3589-041

Accept



Setup Start



Revision ID:

Stop



Item Name: LATCH ASSEMBLY

Start Date: 1/26/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/4/2011 Req'd Qty: 2.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

Identify as per dwg & Stock Location: _____

0.00



Packaging

Memo

0.00

Packaging

14/3/9 (3)

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/3/10

U 1103-69

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, January 26, 2011 1:49:23 PM

Page 1

Work Order ID: 65874

Parent Item: D3589-041

Parent Item Name: LATCH ASSEMBLY

Start Date: 1/26/2011


Required Date: 2/4/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A new issue 08-06-05 DD verified by:ec IPP RevB: revise process as per coss DD 10.01.18 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3589-1  ARM		Manufactured	No			100	Each	2.0000	1	2			
---	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--

67083 x1

Location


WA

Loc Qty

2

Loc Code

56926

D3589-11  FWD GUIDE PLATE		Manufactured	No			100	Each	12.0000	1	2			
--	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

Location


GA

Loc Qty

12

Loc Code

56928

D3589-13  LUG		Manufactured	No			100	Each	12.0000	2	4			
--	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

Location


WA

Loc Qty

12

Loc Code

56929

D3589-3  ARM GUIDE		Manufactured	No			100	Each	8.0000	4	8			
---	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--

Location

WA

Loc Qty

8

Loc Code

57377

67086

4

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, January 26, 2011 1:49:23 PM

Page 2

Work Order ID: 65874

Parent Item: D3589-041

Parent Item Name: LATCH ASSEMBLY

Start Date: 1/26/2011

Required Date: 2/4/2011

Start Qty: 2.00

Required Qty: 2.00

D3589-7
AFT GUIDE PLATE

Manufactured No

100 Each

12.0000

1 2

Location

Loc Qty

Loc Code

ST072

12

56932

12

3

D3589-9
FWD GUIDE PLATE

Manufactured No

100 Each

5.0000

1 2

Location

Loc Qty

Loc Code

WA

5

56933

5

8

AN960JD4
Washer

NAS1149DN432J Purchased

No

130 Each

1,124.000

4 8

Location

Loc Qty

Loc Code

ST346

1124

11735

693

7636

431

12

D3589-15
LINK

Manufactured No

130 Each

5.0000

2 4

Location

Loc Qty

Loc Code

WA

5

56930

5

5

MS20392-1C7
Pin

Purchased No

130 Each

22.0000

2 4

Location

Loc Qty

Loc Code

ST315

22

108521

22

6

Wednesday, January 26, 2011 1:49:24 PM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, January 26, 2011 1:49:24 PM

Page 3

Work Order ID: 65874

Parent Item: D3589-041

Parent Item Name: LATCH ASSEMBLY

Start Date: 1/26/2011

Required Date: 2/4/2011

Start Qty: 2.00

Required Qty: 2.00

MS24665-1010

Purchased

No

130

Each

193.0000

2



COTTER PIN

Location

Loc Qty

Loc Code

ST309

193

111359

4

114405

189

EP 1/03/08
4
2



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



QTY.	P/N	DESCRIPTION
X	D3589-041	LATCH ASSEMBLY
1	D3589-045	AFT PLATE WELDMENT
1	D3589-043	FORWARD PLATE WELDMENT
1	D3589-1	ARM
2	D3589-3	ARM GUIDE
2	D3589-13	LUG
2	D3589-15	LINK
4	AN960JD4	WASHER
2	MS20392-1C7	PIN
2	MS24665-1010	COTTER PIN



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 45874

PR 11-01-26

**DETAIL B: WELDING AND
LINK ASSEMBLY DETAIL**
SCALE 2X
2 PL

RELEASED
07/02/05

B	0.80 AND 0.63 REF WERE 1.97 AND 0.60 (ZN C6-2); 0.50 WAS 1.89 (ZN C5-2); 0.75 REF REPLACES 2.01 (ZN C2-2); 29" WAS 15" (ZN B2-2); 19.00 WAS 18.88 (ZN D4-4); REDESIGNED D3589-9 (ZN A6-6) AND D3589-11F (ZN C2-3) REASON: REDESIGN FOR PROPER FIT AND TO MATCH TESTED CONFIGURATION	MB	08.06.25
A	NEW ISSUE	MB	08.05.29
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>JS</i>		
DRAWN	<i>JS</i>		
CHECKED	<i>PH</i>		
MFG. APPR.	<i>JS</i>		
APPROVED	<i>JS</i>		
DE APPR.	<i>JS</i>		
DATE	08.06.25		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3589 SHEET 1 OF 8 TITLE LATCH ASSEMBLY SCALE NTS COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

D3589-041 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.73 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) IDENTIFIED PARTS ARE LOOSE ON D3589-1 ARM
- 10) INSTALL COTTER PIN IN ACCORDANCE WITH MS33540

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

QTY -043	QTY -045	P/N	DESCRIPTION
X		D3589-043	FORWARD PLATE WELDMENT
	X	D3589-045	AFT PLATE WELDMENT
1	1	D3589-3	ARM GUIDE
	1	D3589-7	AFT GUIDE PLATE
1		D3589-9	FORWARD GUIDE PLATE
1		D3589-11	FORWARD GUIDE PLATE



D3589-043 FORWARD PLATE WELDMENT



D3589-045 AFT PLATE WELDMENT

w/o 65874

RELEASED
21/07/65

D3589-043/-045 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-0XX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
 - D3589-043 = 0.22 lbs
 - D3589-045 = 0.10 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) FORM D3589-11 TO FIT D3589-9 MATING EDGE

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 2 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

QTY -047	QTY -049	P/N	DESCRIPTION
X		D3589-047	FORWARD GUIDE
	X	D3589-049	AFT GUIDE
1	1	D3589-5	LATCH GUIDE
1		D3589-17	FORWARD GUIDE PLATE
	1	D3589-19	AFT GUIDE PLATE

D3589-17
FORWARD GUIDE PLATE


D3589-5
LATCH GUIDE



D3589-047 FORWARD GUIDE

D3589-19
AFT GUIDE PLATE

D3589-5
LATCH GUIDE



D3589-049 AFT GUIDE

W065874

D3589-047/-049 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-0XX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.07 lbs EACH
- 8) WELDING: PER DART QSI 004

RELEASED
9/26/11

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 3 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1



u/o 65874

RELEASED
9/6/25

D3589-1/-3/-5 NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS ROUND TUBING
 D3589-1: 0.375 O.D. X 0.065 WALL (REF. DART SPEC M304TR0.375W.065)
 D3589-3: 0.500 O.D. X 0.058 WALL (REF. DART SPEC M304TR0.500W.058)
 D3589-5: 0.500 O.D. X 0.049 WALL (REF. DART SPEC M304TR0.500W.049)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: - D3589-1 = 0.34 lbs
 - D3589-3 = 0.01 lbs
 - D3589-5 = 0.06 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 4 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



**D3589-7F AFT GUIDE PLATE
FLAT PATTERN**



**D3589-7 AFT GUIDE PLATE
MAKE FROM D3589-7F**



u1065874

RELEASED
09/24/05 MP

D3589-7F-7F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs

DESIGN	JH	DART AEROSPACE LTD	
DRAWN	JH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	PH	D3589	SHEET 5 OF 8
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	LATCH ASSEMBLY	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3589-9 FORWARD GUIDE PLATE



D3589-11F FORWARD GUIDE PLATE
FLAT PATTERN



D3589-11 FORWARD GUIDE PLATE
(MAKE FROM D3589-11F)

D3589-9/-11/-11F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET,
PER AMS 5513 OR AMS 5524,
OR MIL-S-5059 (ANNEALED) 2B FINISH
16 GAUGE (0.063 THICK),
(REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs EACH
- 8) CONTROL SHAPE PER DT9021 TEMPLATE

RELEASED
9/12/85

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 6 OF 8
APPROVED		TITLE	SCALE
DE APPR.		FORWARD GUIDE PLATE	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3589-13 LUG



D3589-15 LINK

w/o 65874

RELEASED
09/02/05

D3589-13/-15 NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH
16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs EACH

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1

D


C

B



A




0.063
REF



D3589-17 FORWARD GUIDE PLATE



D3589-19F AFT GUIDE PLATE FLAT PATTERN



D3589-19 AFT GUIDE PLATE
(MAKE FROM D3589-19F)

RELEASED
09/03/05/11/12

D3589-17/-19/-19F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH
16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs EACH

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1

w/o 45874

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries